

TENDER DOCUMENT

VOL II

(FINANCIAL BID)

FOR

**DESIGN, MANUFACTURING. SUPPLY AND INSTALLATION OF ROLLER BLINDS
AT**

**THE INSTITUTE OF COMPANY SECRETARIES OF INDIA –
CENTER FOR CORPORATE GOVERNANCE, RESEARCH AND TRAINING
(ICSI-CCGRT)**

AT

PLOT NO- 3, SECTOR-02, IMT MANESAR, GURUGRAM.

ARCHITECT:

M/s MURALAGE

A3/269, Vibhav Khand, Gomti Nagar, Lucknow, U.P. - 226010

E-Mail: muralage@gmail.com Phone: 0522 2980139, 0120 4126138

Pages – (1 – 3)



**THE INSTITUTE OF
Company Secretaries of India**

भारतीय कम्पनी सचिव संस्थान

IN PURSUIT OF PROFESSIONAL EXCELLENCE

Statutory body under an Act of Parliament

(Under the jurisdiction of Ministry of Corporate Affairs)

ICSI HOUSE, 22, INSTITUTIONAL AREA, LODHI ROAD, NEW DELHI-110003

Website: www.icsi.edu

**FINANCIAL BID FOR DESIGN, MANUFACTURING, SUPPLY & INSTALLATION
ROLLER BLINDS**

PART A					
Sl. No.	Description	Unit	Qty.	Rate	Amount
1	Zebra Roller Blinds (2 layered) alternate sunscreen and blackout panels: Weight (GSM) as 242.4 +/- 5% g/sqm, Composition 100% Polyester, Thickness as 0.48 mm (+/- 5%), Stripe size as Solid 8.5cm/ Sheer 5cm, Tensile Strength as Warp 89.2dan / Weft 2000.9dan, Elongation as Warp 11.7% / Weft 20.5%, Fastness to light as above 4 grade. Solar Reflectance-34.1%, Solar Absorptance-65.5%, Solar Transmittance-04% Ultra Violet Blocking UV-R-UV-R99.9/ UV-A 99.9/ UVB.999, Ultra Violet Protection Factor-50+/UV.A.0.1/UVB 0.1, Zebra Blind tube is made of Aluminium with a diameter of 38mm (+/-2mm), bottom rail is made of Aluminium with powder coated having weight 390 gm/meter fitted with end caps in colour matching to the fabric and mechanism is of plastic with chin and metal bracket. The Blinds come with Aluminium cover with the matching fabric designed on it. Aluminium profile should have temper WP consisting of alloy 63400 along with anodizing of 10 micron and powder coating of 50 micron. The control clutch drive unit engineered heavy duty chain drive pulley operating system consisting of gear clutch housing and locking plug containing minimum 6 ribs and inserted at minimum of 38mm into roller tube. It is self-lubricating Exclusive clutch with safety pins for secure bracket installation and unlocking pin for quick manual removal. Universal clutch is most convenient for large windows down to the smallest windows. It shall be driven by a ball chain pulley with ball	Sq.mt	178 (For 68 windows)	(to be filled by Bidder)	(to be filled by Bidder)

	chain and can be positioned at Right hand or Left hand side of the shade. Clutch gear ratio of 1.75:1 for reduced operating force on larger blinds Mounting hardware brackets universal brackets including end plug bracket with lock down retainer device. Brackets finish of powder coated metal installation brackets made of stamped and hardened steel. Roller tube circular-shaped aluminium tube extruded from alloy 63400 and temper WP. Bottom rail flat-shaped extruded aluminium from alloy 63400 and temper WP Ball chain shall be 2mm diameter cord with plastic balls moulded to form an endless ball chain. It is used for raising or lowering action of the shades Plastic parts all plastic components are UV-stable compounds in matching/white colour. Greengard, Anti-bacterial, Anti-fungal (Makes: Hunter Douglas, Mac, SSG, Vista)				
2	Sunscreen(translucent) daylighting Roller blinds-Jute Texture: Weight (GSM) 280 gsm (+ 10 % g /m2) Thickness 560 Micron (+ 10 %), Maximum Width 300 cm, No. of Shades 4 : Composition 60% Polyester, 40% Jute Translucent/Blackout : Translucent Motorization : Yes Cleaning Conditionally cleaning with vacuum cleaner or wet cloth. Roller Tube: It is Aluminium alloy Extruded grooved tube, which is anodized Alloy and Temp: 6063-16 Size: 38 mm O.D. Weight: 0.35 kg/m (+/- 5%) Fabric is Fitted to the tube using 13mm heavy duty delf adhesive PET insert. Bottom Rail: PVC Grooved section, available in whit, Ivory and brown. Width: 27.6 mm Thickness: 11.5 mm Fabric is Fitted to the tube using 13mm heavy duty delf adhesive PET insert. Bottom rail end caps are made of ABS. SSG JUTE -2 or equivalent of other approved make (Makes: Hunter Douglas, Mac, SSG, Vista)	Sq.mt	178 (For 52 Windows)	(to be filled by Bidder)	(to be filled by Bidder)
				Total	

Note:

1. Above Rate/Amount will be inclusive of all Taxes, GST, Cess, Charges, Transportation, loading, unloading, allied installations etc. all complete.